



DPW

# PATENT

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of:	)	Confirmation No.: <b>6602</b>
<b>Matt Kriesel</b>	)	Examiner: <b>Vo, Hai</b>
Serial No: <b>10/681,831</b>	)	Art Unit <b>1771</b>
Filed: <b>October 8, 2003</b>	)	Docket No: <b>C228 1020.4</b>
	)	Customer No. <b>64278</b>

For: **REINFORCED POLYMER SHOCK ABSORBING PAD**

### AMENDMENT AND RESPONSE and RESPONSE TO NON-COMPLIANT AMENDMENT

Mail Stop Non-Fee Amendment  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, Virginia 22313-1450

Dear Sir:

In response to the to the notice of Non-Compliant Applicant mailed August 2, 2007 and the Non-Final Office Action mailed January 30, 2007 which was previously responded to but objected to as failing to include forward slash marks on the signature line of the Amendment. Applicant's representative has now filed herewith a hard copy signed by Applicant's representative.

**Remarks/Arguments** begin on page 2 of this paper.

Steven Schmid  
1824 Hickory Trace Dr.  
Fleming Island, FL 32003

JACKSONVILLE, FL 32207  
01 SEP 2007 PM 4 T



Mail Stop Non-Fee Amendment  
Commissioner for Patents

P.O. Box 1450  
Alexandria, Virginia 22313-1450

22313-1450

